

Pharmacological and Phytochemical Actions of Honey

Radhika Verma*

CS Ayurvedic Medical College, Aligarh, Uttar Pradesh, India

***Corresponding Author**

Email Id: yerma.radhika24@gmail.com

ABSTRACT

Honey is a highly popular food item that is readily available to us. Because of its sweet flavour, it is well received. But honey also demonstrates a number of pharmacological effects that are beneficial to us, including anti-inflammatory, anti-diabetic, nature-healing, and antitussive qualities. Two key significant and bioactive compounds found in honey are flavonoids and polyphenols, which function as antioxidants. Honey has historically been used as a nutraceutical, but it is now frequently used as a natural therapy for a variety of medical conditions. There is enough data to support the value of and applications for honey.

Keywords: Honey, Antioxidant, Antidiabetic, Antitussive, Nutraceutical agent.

INTRODUCTION

Honey is a natural product formed from nectar of flowers by honeybees (*Apis mellifera*; Family: Apidae) [1]. Honey is an insect-derived natural product, and it contains nutritional, cosmetic, therapeutic, and industrial values [2,3]. There is no need to refrigerate Honey because it never spoils, and it can also be stored unopened at room temperature in a dry place [4–5]. Nowadays, information on the usage of honey for the cure of many human diseases can be found in general magazines, journals which are suggesting a wide variety of unknown activities [6].

Honey is a natural product that has been widely used for its therapeutic effects. Honey is composed of [7–8]:

- 1) Fructose
- 2) Glucose
- 3) Fructo-oligosaccharides
- 4) Amino acids
- 5) Vitamins
- 6) Minerals
- 7) enzymes

Bioactive Components of Honey

Honey has a variety of essential biological bioactive compounds which are as follows –

- 1) Vitamins A (Retinol)
- 2) Vitamin E (Tocopherol)
- 3) Vitamin K (Anti-Haemorrhagic)
- 4) Vitamin B₁ (Thiamine)
- 5) Vitamin B₂ (Riboflavin)
- 6) Vitamin B₆, Niacin



- 7) Vitamin C (Ascorbic acid)
- 8) Panthothenic acid and phenolics
- 9) Flavonoids
- 10) Fatty acids
- 11) Cinnamic acid
- 12) Hydroxybenzoic acid
- 13) Octadecanoic acid
- 14) Ethyl ester
- 15) Flavonoids
- 16) Moreover, it also contains apigenin, pinocembrin, acacetin, abscisic acid and ferullic acid [9–11].

PHARMACOLOGICAL PROPERTIES

Honey in wound healing

The medicinal significance of honey has been reported in various historical scientific literatures. The healing property of honey is mainly due to its antibacterial activity, maintaining a moist wound condition and its high viscosity that helps to provide a protective barrier over the wound to prevent the infection [12].

Cough Treatment

Honey reliably was proved superior in the cough frequency treatment. In the present study, we reviewed the research literature and came to know that honey has an excellent safety profile and beneficial effects on the cough prevention [13].

Honey and Diabetes

The use of honey in type I and type II diabetes was associated with significantly lower glycemic index than with glucose or sucrose in normal diabetes. Honey may cause a lower increase in blood glucose levels. It also caused a reduction of blood lipids, homocysteine levels and C-reactive protein (CRP) levels in normal and hyperlipidemic subjects [14–15].

Honey and Gastrointestinal Diseases

Honey has been suggested as potentially useful for various conditions of the gastrointestinal tract [16] dyspepsia, it is also used as a part of oral rehydration therapy. *In vitro* studies results that honey exerts bactericidal activity against *Helicobacter pylori* [17] although a clinical trial of manuka honey therapy to induce eradication of *Helicobacter* failed to indicate a beneficial treatment [18–20].

Honey and Cardiovascular Diseases

The *antioxidants* present in honey such as flavonoids, polyphenolics, Vitamin C, and monophenolics may be help in reducing the risk of cardiovascular failures. In the coronary heart disease, the protective effects of flavonoids such as antioxidant, antithrombotic, anti-ischemic, and vasorelaxant and flavonoids reduce the risk of coronary heart disorders through three mechanisms and these mechanisms are –

- a) Improving coronary vasodilatation
- b) Reducing the ability of platelets in the blood to clot
- c) Inhibiting low-density lipoproteins from oxidizing.

However, *in vitro* and *in vivo* research and clinical trials should be initiated to further investigate these compounds in medical applications [19, 20].

METHODOLOGY

A search of articles, e-journals is conducted to collect all the data regarding efficacy of honey towards various problems. The investigation is also done in studying the Pharmacological actions of honey.

CONCLUSION

The conclusion of the above review article is that honey is a very beneficial food substance which may helpful in treating a variety of body disorders, hence it is necessary to investigate its other properties as it may be proved as a boon for the human race.

REFERENCES

- 1) Dashora N, Sodde V, Bhagat J, Kirti SP, Labo R. Antitumor activity of *Dendrophoe falcate* against Ehrlich ascites carcinoma in Swiss albino mice. *Pharm Crops*. 2011;7:1.
- 2) James H. Papyrus Harris, donation to the temple of re at Heliopolis. In: Birch S, editor. *Breasted ancient records of Egypt part four pSalt 825, Egyptian magical text*. 1876.
- 3) Bansal V, Medhi B, Pandhi P. Honey – A remedy rediscovered and its therapeutic utility. *Kathmandu Univ Med J (KUMJ)* 2005; 3:305–9.
- 4) Hassapidou M, Fotiadou E, Maglara E, Papadopoulou SK. Energy intake, diet composition, energy expenditure, and body fatness of adolescents in Northern Greece. *Obesity (Silver Spring)* 2006;14:855–62
- 5) Babacan S, Rand AG. Characterization of honey amylase. *J Food Sci*. 2007;72:C050–5
- 6) Inglett GE. A history of sweeteners–Natural and synthetic. *J Toxicol Environ Health*. 1976;2:207–14.
- 7) Chow J. Probiotics and prebiotics: A Brief Overview. *J Ren Nutr*. 2002; 12:76–86.
- 8) White JW. Composition of honey. In: Crane E, editor. *Honey: A Comprehensive Survey*. London: Heinemann; 1979. pp. 157–192
- 9) S. Bogdanov, T. Jurendic, R. Sieber, P. Gallmann ,Honey for nutrition and health: a review *J. Am. Coll. Nutr.*, 27 (6) (2008), pp. 677–689
- 10) L.A. Marghitas, D.S. Dezmirean, V.B. Pocol, M. Ilea, O. Bobis, I. Gergen, The development of a biochemical profile of acacia honey by identifying biochemical determinants of its quality *Not. Bot. Horti. Agrobot. Cluj-Napoca*, 38 (2) (2010), pp. 84–90
- 11) I. Mohd, K. Zainol, Y. Mohd, Y. Mohd, Y. Mohd, Antibacterial activity of selected Malaysian honey *BMC Complement Altern. Med.*, 13 (2013), p. 129
- 12) D.M. Manisha, M. Shyamapada, Honey: its medicinal property and antibacterial activity *Asian Pac. J. Trop. Biomed.*, 1 (2) (2011), pp. 154-160
- 13) I.M. Paul, J. Beiler, A. McMonagle, M.L. Shaffer, L. Duda, C.M. Berlin Jr, Effect of honey, dextromethorphan, and no treatment on nocturnal cough and sleep quality for coughing children and their parents *Arch. Pediatr. Adolesc. Med.*, 161 (12) (2007), pp. 1140-1146
- 14) Arch. Pediatr. Adolesc. Med., 161 (12) (2007), pp. 1140-1146
- 15) Bansal V, Medhi B, Pandhi P. Honey -A remedy rediscovered and its therapeutic utility. *Kathmandu Univ Med J*. 2005;3:305–309
- 16) Al-Waili NS. Natural honey lowers plasma glucose, c-reactive protein, homocysteine, and blood lipids in healthy, diabetic, and hyperlipidemic subjects: comparison with dextrose and sucrose. *J Med Food*. 2004;7:100–107

- 17) Obi CL, Ugoji EO, Edun SA, Lawal SF, Anyiwo CE. The antibacterial effect of honey on diarrhoea causing bacterial agents isolated in Lagos, Nigeria. *Afr J Med Med Sci.* 1994;23:257–60
- 18) Oyefuga OH, Ajani EO, Salau BA, Agboola FO, Adebawo O. Honey consumption and its anti-ageing potency in white Wister albino rats. *Sch J Biol Sci.* 2012;1:15–9.
- 19) Al Somal N, Coley KE, Molan PC, Hancock BM. Susceptibility of *Helicobacter pylori* to the antibacterial activity of manuka honey. *J R Soc Med.* 1994;87:9–12
- 20) Kamaruzaman NA, Sulaiman SA, Kaur G, Yahaya B. Inhalation of honey reduces airway inflammation and histopathological changes in a rabbit model of ovalbumin-induced chronic asthma. *BMC Complement Altern Med.* 2014;14:176.